

Model: MTK10-N
10.1" Rugged 5G Android Tablet PC - Slim & Light Weight



Main Feature

- MediaTek® MT6833(5G-C), (Octa-Core) processor
- 4GB RAM & 64GB SSD with Android 11/GMS
- Capacitive Multi-Touch screen with scratch-resistant Corning® Gorilla® Glass
- WLAN, BT, NFC & 4G LTE, Dual 5G technologies for seamless communication
- IP65 Water & Dust Protection
- 4" Drop/Shock Rating
- Long Battery Life, up to 6 Hours



Specification	
Model	MTK10-N
Processor	MediaTek® MT6833(5G-C), Octa Core
Memory	Onboard 4GB DDR4
Storage	Onboard 64GB
Operating System	Android 11, Google Mobile Services (GMS) ready
Display	Display Type : 10.1'' <u>IPS LED Panel</u> / Resolution : 1920 × 1200 / Luminance : 400 nit
Touch Screen	10 Points P-CAP multiple touch Corning® Gorilla® Glass
Camera	Front Camera: 5MP, Rear Camera: 13MP w/Auto-Focus
Power & Battery	USB Type C support fast charging, Maximum 9V/2A @ 18W & 3.8VDC 9500mAH, 6 Hour Runtime
2G/3G/4G/5G	GSM: B2, B3, B5, B8 WCDMA: B1, B2, B5, B8 TDD: B34, B38, B39, B40, B41 FDD: B1, B2, B3, B4, B5, B7, B8, B17, B20, B28a, B28b 5G: N1, N3, N5, N28, N38, N41, N77, N78, N79
GPS (GPS, glonass)	Support: GPS / Galileo / Glonass
WIFI	WIFI 802.11(a/b/g/n/ac) 2.4G+5G Dual frequency
Bluetooth / NFC	BT5.1 / 13.56MHz support ISO/IEC 14443A/B, 15693, 18092
Speaker	0.8 watt
Sensor	Gravity Sensor
I/O Interface	USB Type-C x 1, SIM Card x 1, SIM/TF Card x 1, 12pins Pogo Pin x 1
(Optional) AR Film	Anti-glare Film
(Optional) 2D barcode	2D barcode Scanner (Module)
Proof rate	IP65 - water proof, Dropping proof 1 meter
Construction	ABS, Plastic and Heavy duty steel
Environment	Operating temperature: -20°C to 60°C Relative humidity: 10% to 90%non-condensing Vibration: 17 to 500HZ 1G PTP; Shock: 5-50G /peak(11m sec)
Compliance	CE; FCC
Dimension W x H x D (mm)	263 x 177 x 11 / Net weight: 0.6 Kg
(Optional) accessories	Docking Charger, Hand-strap, leather case, Stylus ...



Ordering Information	
MTK10-N	10.1'' Rugged 5G Android Tablet PC
(Optional) AR Film	Anti-glare Film
(Optional) 2D barcode	2D barcode Scanner (Module)